

## 4. Fixed panel to be attached to one wall only

Ref. AR4



Tailor-made fixed panel to be attached to one wall only and installed from floor to false ceiling. Glass available from transparent and translucent to double glass with colored fabrics in between. Frames available in all finishes of the collection.

Glass thickness (mm): 10  
 Maximum installation length (mm): 2625  
 Maximum installation width (mm): 1500  
 Minimum installation length (mm): 2200  
 Minimum installation width (mm): 600  
 Suitable for: Shower tray  
 Type of doors: Fixed panel

### Optional

A327761... 650 mm countertop washbasin for 2-hole basin mixer  
 A327762... Under-counter washbasin  
 A346767... Wall-hung WC  
 A801762... Soft-closing Supralit® lacquered seat and cover for wall-hung WC  
 A5A2976... Built-in 5-function thermostatic shower mixer with handshower, 1.7 m hose and 2 jets  
 A276128000 IN-DRAIN X3 650 mm - Installation drainage kit  
 A276129000 IN-DRAIN X3 750 mm - Installation drainage kit  
 A276130000 IN-DRAIN X3 850 mm - Installation drainage kit  
 A276131000 IN-DRAIN X3 950 mm - Installation drainage kit  
 AR3 3. Pivot hinged door to be attached to one wall only with or Fixed panel to be attached to one wall only (Ref. AR4)

### Compatible with

AP5017D03E801..0 XXL superslim shower tray with side waste  
 AP5107D03E801..0 XXL superslim shower tray with central waste  
 AP50164032001..0 L superslim shower tray with with side waste  
 AP5016403E801..0 XL superslim shower tray with side waste  
 AP50157832001..0 S superslim shower tray with side waste  
 AP5015783E801..0 M superslim shower tray with side waste  
 AP5014B032001..0 XS superslim shower tray with side waste

### Technical drawings



